
FBQ1: Basics of statistics consists of -----that are used to facilitate the making of decisions Answer: Tools FBQ2: Statistics presents the decision-maker with relevant ------Answer: Facts FBQ3: In many cases Statistics provides an estimate of the -----Answer: Probability FBQ4: In many cases Statistics provides-----consequences of making a wrong decision Answer: Monetary FBQ5: One of the objectives of Statistics is to state the role of statistics in----science. Answer: Health FBQ6: The word statistics usually conveys to the ---- man an impression about numerical facts Answer: Lay FBQ7: Methodology of collection and collation of data is called \_\_\_\_\_ **Answer: Statistics** FBQ8: ----- statistics is a part of Biostatistics, which is a broader science. Answer: Medical FBQ9: Health Statistics deal with health and ill health of the----population Answer: Human FBQ10: When facts dealing with only births, deaths, marriages, divorces is called -----------Statistics Answer: Vital FBQ11: ----- is the study which deals with the study of human population. Answer: Demography FBQ12: Scientific research is a -----attempt to provide answers to certain questions Answer: Systematic FBQ13: The purpose of research is to discover and develop an organised body of knowledge through application of ------Answer: Scientific procedures FBQ14: An honest, exhaustive, intelligent searching for facts is called -----Answer: Research FBQ15: All research should generally aim at gaining new ------Answer: Knowledge



FBQ31: The methods of ---- are useful in an ever-widening range of human activities. Answer: Statistics FBQ32: Statistical investigations help researchers in finding location-----errors Answer: Standard FBQ33: Statistics is an -----part of logica1 research since it deals with various numerical aspects Answer: Integral FBQ34: Inherent feature of all biological observations is their ------Answer: Variability FBQ35: Statistical quantities serve as----- for the measurement of health of a community Answer: Indices FBQ36: ----are useful in comparing the health status of group from one place to the other or from one season or period to the other. Answer: Indicators FBQ37: -----methodologies are useful in the evaluation of health care delivery system Answer: Statistical FBQ38: Statistical methodologies play a vital role in -----and interpretation of epidemiological studies Answer: Planning FBQ39: Sophisticated statistical methodologies help in evolving suitable models for the -----of health care activities Answer: Delivery FBQ40: Statistics is indeed a -----science pertaining to the collection Answer: Mathematical FBQ41: Educators and researchers use terminology such as ----reasoning Answer: Statistical FBQ42: Data may be classified as Qualitative or -----Answer: Quantitative FBQ43: Gender is a good example of ----- data Answer: Qualitative FBQ44: Quantitative values include haemoglobin level or white blood cell count. True or false? Answer: True

FBQ45: Quantitative data can be further classified into two kinds, namely Discrete and--

----

Answer: Continuous

FBQ46: When the variable under observation can take only fixed values in a given

range, it is known as ----- variable

Answer: Discrete

FBQ47: The variable that can take any value in the given range of numbers, the data is

called ----- data Answer: Continuous

FBQ48: When data are collected from main source, it is known as ----- data

Answer: Primary

FBQ49: \_\_\_\_ data are those which are collected from data already available from other

sources

Answer: Secondary

FBQ50: Interview method is not the most commonly used method in field studies. True

or false

Answer: False

MCQ1: Statistics tools are used as the sole basis for a decision.

Answer: Rarely

MCQ2: Which of the following is not an indispensable component of decision making in

**Statistics** 

Answer: Framework

MCQ3: Which of the following is not overall Aim of Statistics

Answer: Role of Statistics in Health Systems

MCQ4: Numerical fact are all except

Answer: Trauma

MCQ5: Which of the following does not apply to scientific definition of statistics?

Answer: Interpretation

MCQ6: In Pie diagram all are applicable except

Answer: Useful for Quantitative data

MCQ7: Because the total angle at the centre of the circle is equal to certain degree

Answer: 360

MCQ8: A pie chart can be used to illustrate the figures below Except

Answer: Families with infinity dependent child 20.5%

MCQ9: The word sample means

Answer: A portion or a part of the options

MCQ10: A sample can be selected broadly in two ways

Answer: In two ways

MCQ11: Sample surveys are also conducted to know the demographic data of the

community include all of the following except

Answer: Mortality Rate

MCQ12: Investigations of Factors Influencing Health include all but

Answer: Motility

MCQ13: Sample surveys are useful to estimate the effect of health measures in which

if the following

Answer: control of tuberculosis

MCQ14: Studies on the Administrative Aspects of Health Services is used for

Answer: Planning

MCQ15: Advance data are useful exceptionally from

Answer: Sample surveys

MCQ16: In census enumeration Answer: All units are covered

MCQ17: In Sampling enumeration

Answer: Only specified units are covered

MCQ18: In Sampling enumeration is useful when information about

Answer: Population is required

MCQ19: In census

Answer: Cost of organisation is high

MCQ20: Which of the following is applicable in census enumeration Answer: Greater attention cannot be paid for each unit of population

MCQ21: Which of the following is applicable in sample enumeration

Answer: Completeness and accuracy can be achieved by more persistent efforts

MCQ22: Which of the following is applicable in sample enumeration Answer: Requires less personnel and time for collection and analysis.

MCQ23: In Census enumeration it

Answer: Will be difficult to Achieve completeness and accuracy.

MCQ24: The sample size is calculated by the formula. n = (4pq/L2)

Answer: n is the required sample size

MCQ25: The sample size is calculated by the formula. n = (4pq/L2) Answer: p is the approximate prevalence rate of the disease for which the survey is being conducted

MCQ26: The sample size is calculated by the formula. n = (4pq/L2)

MCQ26: The sample size is calculated by the formula. n = (4pq/L2) Answer: q = (1 â€" p)

MCQ27: The sample size is calculated by the formula. n = (4pq/L2). L stand for

Answer: L is the permissible error in the estimate of p

MCQ28: Given probability level of P = 0.05 mean Answer: Error of L and is true in 95 out of 100 samples

MCQ29: The sample size is calculated by the formula.  $n = (ti \Box_i 2 x s2) / e2$ 

Answer: To obtain information on quantitative data

MCQ30: The sample size is calculated by the formula.  $n = (ti \square_i 2 x s2) / e2$ 

Answer: n is the desired sample size

MCQ31: The sample size is calculated by the formula.  $n = (ti \square_i 2 x s2) / e2$ 

Answer: Edit Fitzgerald

MCQ32: The sample size is calculated by the formula.  $n = (ti \square_i 2 x s2) / e2$ 

Answer: s is the standard deviation of observations

MCQ33: The sample size is calculated by the formula.  $n = (t\ddot{i} \Box_{\dot{i}} 2 \times s2) / e2$ Answer: e is the permissible error in the estimation of mean difference

MCQ34: The sample size is calculated by the formula.  $n = (ti \square_i 2 x s2) / e2$ 

Answer: tï□¡ is the value of t†statistic at cx level from t†tables

MCQ35: Sampling errors means Answer: Faulty in sampling design

MCQ36: These errors can be reduced and estimated

Answer: Through sampling techniques

MCQ37: The non-sampling errors are as follows

Answer: None of the options

MCQ38: Coverage Errors occurred Answer: Due to non-response

MCQ39: Coverage Errors occurred in bio statistics due to

Answer: Non-co-operation

MCQ40: Observational error in statistics are due to

Answer: Interviewerâ€~s bias

MCQ41: Observational error in statistics are due to

Answer: imperfect experimental techniques

MCQ42: Processing Errors are due to

Answer: Theoretical errors in statistical analysis.

MCQ43: Processing Errors are due to

Answer: Clerical errors

MCQ44: Processing Errors are due to

Answer: computational errors

MCQ45: Mean refers to Answer: Arithmetic average

MCQ46: Mean is calculated from the formula;

Answer: Sum of all the observations of the data divided by Number of observations in

the data

MCQ47:  $x = (\hat{I} \pm xi)/n$  where x means Answer: x is the symbol for mean.

MCQ48:  $x = (\hat{I} \pm xi)/n$  where x is means

Answer: Xi, is the value of each observation in the data

MCQ49:  $x = (\hat{I} \pm xi)/n$  where x is means n stand for Answer: n is the number of observations in the data

MCQ50: The Systolic blood pressure in mm Hg of ten students are as follows 115, 117,

121, 120, 118, 122, 123, 116, 118, 120 what is the mean

Answer: 119 mm Hg