

range

[AGR305] Criteria for Rejection of Analytical Sample include the following EXCEPT well labeled samples

[AGR305] Data gotten from a direct source or observation by the researcher is called----

primary data

[AGR305] The strength and direction of association between bivariate variables is measured by -----
correlation coefficient

[AGR305] The hypothesis postulated by the researcher before starting the research is --

research hypothesis

[AGR305] The appearance of a treatment in an experiment more than once is called
Ã¸â, -Ã!Ã¸â, -Ã!Ã¸â, -Ã!Ã¸â, -Ã!
replication

[AGR305] The relative measure of variability expressed as percentage is called
Coefficient of Variation

[AGR305] Number of animals in a herd is an example of
Ã¸â, -Ã!Ã¸â, -Ã!Ã¸â, -Ã!Ã¸â, -Ã!
discrete variable

[AGR305] The most commonly used measure of dispersion is
Ã¸â, -Ã!Ã¸â, -Ã!Ã¸â, -Ã!Ã¸â, -Ã!
standard deviation

[AGR305] Length and height are examples of Ã¸â, -Ã!Ã¸â, -Ã!Ã¸â, -Ã!Ã¸â, -Ã!
quantitative data

Whatsapp: 08089722160 or click here for TMA assistance

Practice E-exams & Chat with course mates on [noungeeks.net](https://www.noungeeks.net)