

within _____
10 to 15 years

[NSC401] An elevated mass without permanent borders but often irregular and varying size and colour on the skin is called _____
Wheals

[NSC401] The standard and most reliable diagnostic test for Cystic fibrosis is the pilocarpine iontophoresis sweat test and the levels higher than _____ are diagnostic
60 mEq/L

[NSC401] _____ is a Flat, non-palpable skin lesion appearing only as localized colored spot with a well-defined border
Macule

[NSC401] A newer finding is that _____ be caused by gastroesophageal reflux disease (GERD).
Asthma

[NSC401] _____ is a flakes secondary to desquamated and dead epithelium which may adhere to skin surface.
Scales

[NSC401] In pulmonary arterial hypertension, the pressure rises above _____ and can be higher as the disease progresses.
40/15 mm Hg

[NSC401] The maximum amount of air that can be expired after maximal inspiration is called _____
Vital Capacity

[NSC401] The lipoprotein known as _____ reduces surface tension within the alveoli so they do not collapse during exhalation
Surfactant

[NSC401] The ABG values of PaO₂ less than _____ defines respiratory failure
50 mm Hg

Whatsapp: 08089722160 or click here for TMA assistance

Practice E-exams & Chat with course mates on [noungeeks.net](#)