Join group: T.me/NOUNSTUDENTSFORUM CLICK TO DOWNLOAD MORE TMA PQ

NSC402

1. ââ,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦.is the study of the transport, storage, and evacuation of urine by the urinary tract.
Electromyography
>> Urodynamics
Cystometry
Uroflowmetry
2. \tilde{A} ¢â,¬Âlis an ocular lubricant that improves tear film stability and prolongs tear break-up time
Hydrophilic
Hypromellose
>> Carbomers
Systane
3. The rise in pressure is almost always the result ofââ,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦ outflow of aqueous humour.
>> Reduced
Moderate
Increased
Regular
4. ââ,¬Âlflow impairs the movement of fluid from interstitial tissues back into the vascular compartment, resulting in edema
>> Obstructed lymph
Obstructed vein
Obstructed duct
Obstructed artery

Whatsapp: 08089722160 or click here for TMA assistance

Practice E-exams & Chat with course mates on noungeeks.net

Join group: T.me/NOUNSTUDENTSFORUM CLICK TO DOWNLOAD MORE TMA PQ

stage 1
stage 3
--->> stage 5
stage 4

6. The type of retinopathy that is marked by generalized narrowing and focal attenuation of arterioles that is associated with deflection of veins, cotton-wool spots is known

asââ,¬Â¦Ã¢â,¬Â¸Ŷ¸

Mild retinopathy

Malignant retinopathy

Severe retinopathy

--->> Moderate retinopathy

7. ââ,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦is used in patients where the IOP could not be controlled despite maximal tolerated medical therapy

--->> Laser trabeculoplasty

Goniotomy

Trabeculectomy

Filteration surgery

8. Example of parasympatholytic agents that causes dilatation and varying degrees of cyclopegia with varying potency and duration of action isââ,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã¢â,¬Â¦Ã...

Gentamicin

--->> Tropicamide

Bimatoprost

Dipivefrine

Whatsapp: 08089722160 or click here for TMA assistance

Practice E-exams & Chat with course mates on noungeeks.net

Join group: T.me/NOUNSTUDENTSFORUM CLICK TO DOWNLOAD MORE TMA PQ

Cataract
Diabetic retinopathy

--->> Glaucoma
Xerophthalmia

10. Infants have the highest proportion of water that accounts forââ,¬Â!..... of their body weight

75% to 90%
60% to 80%
50% to 70%

--->> 70% to 80%

Whatsapp: 08089722160 or click here for TMA assistance

Practice E-exams & Chat with course mates on noungeeks.net